

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in MCR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	31	66	a	9	69	a	40	67	a
Black, not Hispanic	13	28	a	*	15	a	15	25	a
Hispanic	*	4	a	*	15	a	*	7	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	2	a	0	0	a	*	2	a
Total	47	100	a	13	100	a	60	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MCR, by sex and age at diagnosis, 2004

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	7	15	*	8	8	13
25-34	14	30	*	31	18	30
35-44	11	23	7	54	18	30
45-54	13	28	*	8	14	23
55-64	*	4	0	0	*	3
>=65	0	0	0	0	0	0
Total	47	100	13	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MCR, by sex and exposure category, 2004

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	34	72	a	a	34	57
Injection drug use (IDU)	*	2	*	15	*	5
Male-to-male sex and IDU	*	2	a	a	*	2
Heterosexual contact	*	6	7	54	10	17
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	8	17	*	31	12	20
Total	47	100	13	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MCR, by race/ethnicity and exposure category, 2004

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	24	60	9	60	0	0	0	0	0	0	1	100	34	57
Injection drug use (IDU)	*	5	*	7	0	0	0	0	0	0	0	0	*	5
Male-to-male sex and IDU	*	3	0	0	0	0	0	0	0	0	0	0	*	2
Heterosexual contact	6	15	*	13	*	50	0	0	0	0	0	0	10	17
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	7	18	*	20	*	50	0	0	0	0	0	0	12	20
Total	40	100	15	100	*	100	0	0	0	0	*	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MCR, by sex and tuberculosis comorbidity, 2004

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	46	98	13	100	59	98
Definitive case	*	2	0	0	*	2
Presumptive case	0	0	0	0	0	0
Total	47	100	13	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MCR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	5	45	a	*	33	a	6	43	a
Black, not Hispanic	*	36	a	*	67	a	6	43	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	18	a	0	0	a	*	14	a
Total	11	100	a	*	100	a	14	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MCR, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	47	61	50	51	47	873
Females	13	13	15	16	13	211
Total	60	74	65	67	60	1,084

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in MCR, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	36	43	41	42	40	716
Black, not Hispanic	20	30	21	19	15	325
Hispanic	*	*	*	*	*	26
Asian/Pacific Islander	0	0	*	*	0	8
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	*	0	*	0	*	6
Total	60	74	65	67	60	1,084

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in MCR, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	14
13-14	*	0	0	0	0	2
15-24	7	12	*	8	8	113
25-34	18	14	24	16	18	387
35-44	23	31	20	27	18	387
45-54	10	15	11	12	14	144
55-64	0	*	5	*	*	27
>=65	0	*	*	*	0	10
Total	60	74	65	67	60	1,084

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in MCR, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	32	39	28	29	34	544
Injection drug use (IDU)	*	10	5	8	*	150
Male-to-male sex and IDU	*	*	*	*	*	53
Heterosexual contact	11	9	12	11	10	163
Mother with/at risk for HIV	0	0	0	0	0	7
Other/unknown	11	14	16	16	12	167
Total	60	74	65	67	60	1,084

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in MCR, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	28	41	33	24	32	569
Females	9	7	7	11	14	105
Total	37	48	40	35	46	674

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in MCR, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	18	27	18	25	23	453
Black, not Hispanic	17	20	19	9	18	196
Hispanic	*	*	*	0	*	17
Asian/Pacific Islander	0	0	*	*	0	2
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	0	0	*	0	*	4
Total	37	48	40	35	46	674

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MCR, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	8
13-14	0	0	0	0	0	0
15-24	*	*	*	0	*	19
25-34	12	9	13	6	10	227
35-44	16	23	13	19	17	275
45-54	7	13	9	7	13	114
55-64	0	*	*	*	*	23
>=65	0	*	*	*	0	8
Total	37	48	40	35	46	674

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in MCR, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	16	25	20	10	17	358
Injection drug use (IDU)	6	8	5	9	9	105
Male-to-male sex and IDU	*	*	0	*	*	34
Heterosexual contact	8	5	6	5	13	90
Mother with/at risk for HIV	0	0	0	0	0	3
Other/unknown	6	8	9	7	5	84
Total	37	48	40	35	46	674

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in MCR, by year and sex

	2000	2001	2002	2003	2004
Sex	No.	No.	No.	No.	No.
Males	441	495	535	569	605
Females	134	141	151	160	170
Total	575	636	686	729	775

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in MCR, by year and race/ethnicity

	2000	2001	2002	2003	2004
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	370	406	438	468	502
Black, not Hispanic	184	208	223	231	240
Hispanic	13	14	15	17	21
Asian/Pacific Islander	*	*	*	8	8
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	*	*	*	*	*
Total	575	636	686	729	775

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MCR, by year and current age

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	5	5	5	5	5
13-14	0	0	0	0	0
15-24	9	15	15	20	29
25-34	77	88	106	123	136
35-44	256	283	297	308	321
45-54	166	179	189	201	209
55-64	50	53	61	60	63
>=65	12	13	13	12	12
Total	575	636	686	729	775

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in MCR, by year and exposure category

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	277	310	332	352	378
Injection drug use (IDU)	80	88	91	95	95
Male-to-male sex and IDU	32	34	37	39	38
Heterosexual contact	100	107	117	123	132
Mother with/at risk for HIV	5	5	5	5	5
Other/unknown	81	92	104	115	127
Total	575	636	686	729	775

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MCR, by year of death and sex

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	13	7	10	17	11	268
Females	*	6	5	7	*	41
Total	16	13	15	24	14	309

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MCR, by year of death and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	8	7	9	12	6	214
Black, not Hispanic	7	6	6	11	6	85
Hispanic	0	0	0	0	0	5
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	*	0	0	0	0	1
Unknown/Multiple Race	0	0	0	*	*	4
Total	16	13	15	24	14	309

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MCR, by year of death and age at death

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	5
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	6
25-34	*	*	*	*	*	77
35-44	8	7	8	6	6	128
45-54	*	5	*	9	6	67
55-64	*	0	*	5	*	17
>=65	0	0	*	*	0	9
Total	16	13	15	24	14	309

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MCR, by year of death and exposure category

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	6	6	9	8	166
Injection drug use (IDU)	*	*	*	*	*	55
Male-to-male sex and IDU	*	0	*	*	*	15
Heterosexual contact	*	*	*	5	*	31
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	*	5	0	40
Total	16	13	15	24	14	309

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.